



WELDED TUBE OF CANADA
 MILL CAPABILITY ALL DIVISIONS
 MCAD SP 7.3 SEPTEMBER 9,2006 REV 1
 1-800-565-8823

WALL THICKNESS

GAUGE	20	19	18	16	15	14	13	12	11	10	9	8	7	3/16	1/4	5/16	3/8	1/2
ROUNDS	0.035"	0.042"	0.049"	0.065"	0.072"	0.083"	0.095"	0.109"	0.120"	0.134"	0.148"	0.165"	0.180"	0.188"	0.250"	0.313"	0.375"	0.500"
	**Weight per Foot lb/ft																	
0.750	0.27	0.32	0.37	0.48	0.52	0.59	0.67											
0.840	0.30	0.36	0.41	0.54	0.59	0.67	0.76											
0.875	0.31	0.37	0.43	0.56	0.62	0.70	0.79											
0.940	0.34	0.40	0.47	0.61	0.67	0.76	0.86	0.97										
0.984	0.36	0.42	0.49	0.64	0.70	0.80	0.90											
1.000	0.36	0.43	0.50	0.65	0.71	0.81	0.92	1.04	1.13									
1.050	0.38	0.45	0.52	0.68	0.75	0.86	0.97	1.10	1.19									
1.125	0.41	0.49	0.56	0.74	0.81	0.92	1.05	1.18	1.29									
1.181	0.43	0.51	0.59	0.78	0.85	0.97	1.10	1.25	1.36									
1.250	0.45	0.54	0.63	0.82	0.91	1.04	1.17	1.33	1.45	1.60								
1.500	0.55	0.65	0.76	1.00	1.10	1.26	1.43	1.62	1.77	1.96								
1.625			0.83	1.08	1.20	1.37	1.55	1.77	1.93	2.14								
1.660			0.84	1.11	1.22	1.40	1.59	1.81	1.98	2.19	2.39							
1.688			0.86	1.13	1.24	1.42	1.62	1.84	2.01	2.23	2.44							
1.750						1.48	1.68	1.91	2.09	2.32	2.53	2.80	3.02	3.14				
1.875						1.59	1.81	2.06	2.25	2.49	2.73	3.02	3.26	3.39				
1.900						1.61	1.83	2.09	2.28	2.53	2.77	3.06	3.31	3.44				
2.000						1.70	1.93	2.20	2.41	2.67	2.93	3.24	3.50	3.64				
2.125						1.81	2.06	2.35	2.57	2.85	3.13	3.46	3.74	3.89				
2.250						1.92	2.19	2.50	2.73	3.03	3.33	3.68	3.98	4.14				
2.375	0.88	1.05	1.22	1.61	1.77	2.03	2.32	2.64	2.89	3.21	3.52	3.90	4.22	4.40				
2.500				1.69	1.87	2.14	2.44	2.79	3.05	3.39	3.72	4.12	4.46	4.65	6.01			
2.625					1.97	2.26	2.57	2.93	3.21	3.57	3.92	4.34	4.71					
2.718				1.84	2.04	2.34	2.66	3.04	3.33	3.70	4.07							
2.745				1.86	2.06	2.36	2.69	3.07	3.37	3.74	4.11							
2.750				1.87	2.06	2.37	2.70	3.08	3.37	3.75	4.12	4.56	4.95	5.15				
2.875						2.48	2.82	3.22	3.53	3.93	4.32	4.78	5.19	5.40	7.02			
3.000				2.04	2.25	2.59	2.95	3.37	3.70	4.11	4.51	5.00	5.43	5.65	7.35			
3.125						2.70	3.08	3.51	3.86	4.29	4.71	5.22	5.67	5.90				
3.250						2.81	3.20	3.66	4.02	4.46	4.91	5.44	5.91	6.15				
3.500						3.03	3.46	3.95	4.34	4.82	5.30	5.88	6.39	6.66	8.69	10.67		
3.750						3.25	3.71	4.24	4.66	5.18	5.70	6.32	6.87	7.16	9.36	11.50		
4.000						3.48	3.97	4.53	4.98	5.54	6.10	6.77	7.35	7.66	10.02	12.34		
4.500						3.92	4.47	5.12	5.62	6.26	6.89	7.65	8.31	8.67	11.36	14.01	16.54	
4.750									5.94	6.61	7.28	8.09	8.79	9.17	12.03	14.85		
5.000									6.26	6.97	7.68	8.53	9.28	9.67	12.70	15.69	18.54	24.06
5.500									6.90	7.69	8.47	9.41	10.24	10.68	14.03	17.36	20.55	26.73
5.563									6.98	7.78	8.57	9.52	10.36	10.80	14.20	17.57		
5.625									7.06	7.87	8.67	9.63	10.48	10.93	14.37	17.78	21.05	27.40
6.000									7.54	8.40	9.26	10.29	11.20	11.68	15.37	19.03	22.55	29.40
6.250									7.86	8.76	9.66	10.73	11.68	12.18	16.04	19.87	23.56	30.74
6.625														12.94	17.04	21.12	25.06	32.74
7.000														13.69	18.04	22.38	26.56	34.75
7.500														14.70	19.38	24.05	28.57	37.42
7.625														14.95	19.71	24.47	29.07	
8.625														16.96	22.39	27.82	33.08	43.44



WELDED TUBE OF CANADA
 MILL CAPABILITY ALL DIVISIONS
 MCAD SP 7.3 SEPTEMBER 9,2006 REV 1
 1-800-565-8823

WALL THICKNESS

GAUGE	20	19	18	16	15	14	13	12	11	10	9	8	7	3/16	1/4	5/16	3/8	1/2						
ROUNDS	0.035"	0.042"	0.049"	0.065"	0.072"	0.083"	0.095"	0.109"	0.120"	0.134"	0.148"	0.165"	0.180"	0.188"	0.250"	0.313"	0.375"	0.500"						
	**Weight per Foot lb/ft																							
8.750																			17.21	22.72	28.23	33.58	44.10	
9.625																				18.97	25.06	31.16	37.09	48.78
10.000																				19.72	26.06	32.42	38.59	50.79
10.750																				21.23	28.07	34.93	41.60	54.79

SPECIFICATIONS PRODUCED TO: ASTM A-500, A-513, A53, CSAG40.21, API 5L, 5CT, CSA Z245.01
 OTHER GRADES AND SPECIFICATIONS UPON REQUEST.

** ABOVE TABLE VALUES ARE FOR REFERENCE PURPOSES ONLY.

ON TIME QUALITY PRODUCTION SAFELY
 To improve or modify this controlled document please use form CR SP 4.2.3.