

CASING TECHNICAL DATA SHEET

4.5 x 0.29 HPP110 Long Round

Reviewed by: Sr. Quality Engineer Approved by: Corporate Director-QEHS

One White

Orange

TDS Date (MM/DD/YY)

9/1/24

PIPE BODY DATA	Unit	Imperial	Metric	Unit
Nominal Outside Diameter	in	4.500	114.30	mm
Nominal Wall Thickness	in	0.290	7.37	mm
Remaining Body Wall (RBW)		95.0%	95.0%	
Type of Thread		Long Round	Long Round	
Grade		HPP110	HPP110	
Label Weight		13.50	13.50	1
Plain End Weight	lb/ft	13.05	19.44	kg/m
Pipe Minimum Yield	ksi	125	862	MPa
Pipe Maximum Yield	ksi	140	965	MPa
Pipe Minimum Tensile	ksi	125	862	MPa
Standard Drift Diameter (min)	in	3.795	96.38	mm
Alternate Drift Diameter (min)	in	N/A	N/A	mm
Pipe Body Plain End Yield	lb	479,000	217,270	kg
Pipe Body Internal Yield	psi	15,310	105,560	kPa
Collapse Pressure - Standard	psi	N/A	N/A	kPa
Collapse Pressure - High	psi	11,810	81,430	kPa
CONNECTION DATA				
Coupling Minimum Yield	ksi	125	862	MPa
Coupling Maximum Yield	ksi	140	965	MPa
Coupling Minimum Tensile	ksi	135	931	MPa
Coupling or Joint Outside Diameter (nom)	in	5.250	133.35	mm
Coupling Thread Fracture Strength	1b	884,000	400,980	kg
Pipe Thread Fracture Strength	lb	338,000	153,310	kg
Pull Out Strength	lb	398,000	180,530	kg
Nominal Make-Up Torque or Make-up Torque Range	ft-lb	3,980	5,400	N-m
Coupling Internal Yield	psi	21,810	150,370	kPa
Internal Yield of Joint	psi	15,310	105,560	kPa
WELDED TUBE GENERAL INPUT CRITERIA				_
Coupling Color Code		White		
Coupling Color Code for the Band		Brown		

Coupling Color Code for the Band Pipe Color Code Identification

2" Band(s) Additional Color Band (approx.10' from box end)

Note:

Welded Tube has issued this document for general information only. This does not constitute a warranty, MTR, certificate of
compliance, or similar. The content of this technical data sheet shall be reviewed by the user for verification of
suitability and applicability. Anyone making use of this material does so at their own risk and assumes any and all
liability resulting from such use. Welded Tube disclaims any and all expressed or implied warranties of fitness for
particular application.

Welded Tube has the right to change this data at any time as an improvement of the product or process.

This is an un-controlled document.