Welded Tube

CASING TECHNICAL DATA SHEET 5.5 x 0.415 EPL80 Plain End

Reviewed by: Sr. Quality Engineer Approved by: Corporate Director-QEHS

White

TDS Date (MM/DD/YY) 1-20-25				
PIPE BODY DATA	Unit	Imperial	Metric	
Nominal Outside Diameter	in	5.500	139.70	
Nominal Wall Thickness	in	0.415	10.54	
Remaining Body Wall (RBW)		95.0%	95.0%	
Type of Thread		Plain End	Plain End	
Grade		EPL80	EPL80	
Coupling Type		11th Edition	11th Edition	
Label Weight		23.00	23.00	
Plain End Weight	lb/ft	22.56	33.57	
Pipe Minimum Yield	ksi	82	565	
Pipe Maximum Yield	ksi	95	655	
Pipe Minimum Tensile	ksi	95	655	
Standard Drift Diameter (min)	in	4.545	115.44	
Alternate Drift Diameter (min)	in	N/A	N/A	
Pipe Body Plain End Yield	lb	544,000	246,750	
Pipe Body Internal Yield	psi	11,760	81,080	
Collapse Pressure - Standard	psi	N/A	N/A	
Collapse Pressure - High	psi	12,110	83,500	
CONNECTION DATA				
Coupling Minimum Yield	ksi	N/A	N/A	
Coupling Maximum Yield	ksi	N/A	N/A	
Coupling Minimum Tensile	ksi	N/A	N/A	
Coupling or Joint Outside Diameter (nom)	in	N/A	N/A	
Coupling Thread Fracture Strength	lb	N/A	N/A	
Pipe Thread Fracture Strength	1b	N/A	N/A	
Pull Out Strength	1b	N/A	N/A	
Nominal Make-Up Torque or Make-up Torque Range	ft-lb	N/A	N/A	
Coupling Internal Yield	psi	N/A	N/A	
Internal Yield of Joint	psi	N/A	N/A	
WELDED TUBE GENERAL INPUT CRITERIA				
Coupling Color Code		Red		
Coupling Color Code for the Band		One Brown		
Pipe Color Code Identification	2" Band(s)	One Red, One Brown		

Note:

Additional Color Band (approx.10' from box end)

Welded Tube has issued this document for general information only. This does not constitute a warranty, MTR, certificate of compliance, or similar. The content of this technical data sheet shall be reviewed by the user for verification of suitability and applicability. Anyone making use of this material does so at their own risk and assumes any and all liability resulting from such use. Welded Tube disclaims any and all expressed or implied warranties of fitness for particular application.

Welded Tube has the right to change this data at any time as an improvement of the product or process.

This is an un-controlled document.