

**CASING TECHNICAL DATA SHEET**  
**7 x 0.317 HCL80 Long Round**

Reviewed by: Sr. Quality Engineer  
 Approved by: Corporate Director-QEHS

TDS Date (MM/DD/YY)

9/2/24

**PIPE BODY DATA**

Nominal Outside Diameter  
 Nominal Wall Thickness  
 Remaining Body Wall (RBW)  
 Type of Thread  
 Grade

Label Weight  
 Plain End Weight  
 Pipe Minimum Yield  
 Pipe Maximum Yield  
 Pipe Minimum Tensile  
 Standard Drift Diameter (min)  
 Alternate Drift Diameter (min)  
 Pipe Body Plain End Yield  
 Pipe Body Internal Yield  
 Collapse Pressure - Standard  
 Collapse Pressure - High

**CONNECTION DATA**

Coupling Minimum Yield  
 Coupling Maximum Yield  
 Coupling Minimum Tensile  
 Coupling or Joint Outside Diameter (nom)  
 Coupling Thread Fracture Strength  
 Pipe Thread Fracture Strength  
 Pull Out Strength  
 Nominal Make-Up Torque or Make-up Torque Range  
 Coupling Internal Yield  
 Internal Yield of Joint

**WELED TUBE GENERAL INPUT CRITERIA**

Coupling Color Code  
 Coupling Color Code for the Band  
 Pipe Color Code Identification  
 Additional Color Band (approx. 10' from box end)

Note:

Unit	Imperial	Metric	Unit
in	7.000	177.80	mm
in	0.317	8.05	mm
	95.0%	95.0%	
	Long Round	Long Round	
	HCL80	HCL80	
	23.00	23.00	
lb/ft	22.65	33.70	kg/m
ksi	80	552	MPa
ksi	95	655	MPa
ksi	95	655	MPa
in	6.241	158.52	mm
in	6.280	159.51	mm
lb	532,000	241,310	kg
psi	6,880	47,440	kPa
psi	N/A	N/A	kPa
psi	4,850	33,440	kPa

ksi	80	552	MPa
ksi	95	655	MPa
ksi	95	655	MPa
in	7.875	200.03	mm
lb	1,146,000	519,820	kg
lb	461,000	209,110	kg
lb	435,000	197,310	kg
ft-lb	4,350	5,900	N-m
psi	11,210	77,290	kPa
psi	6,880	47,440	kPa

2" Band(s)	Red
	One Brown
	One Red, One Brown
	Blue

*Welded Tube has issued this document for general information only. This does not constitute a warranty, MTR, certificate of compliance, or similar. The content of this technical data sheet shall be reviewed by the user for verification of suitability and applicability. Anyone making use of this material does so at their own risk and assumes any and all liability resulting from such use. Welded Tube disclaims any and all expressed or implied warranties of fitness for particular application.*

*Welded Tube has the right to change this data at any time as an improvement of the product or process.*

*This is an un-controlled document.*